## **Contents:**

## The Journal of Cell Biology

Volume 133, Number 2, April 1996

## Mini-Review

221 Overlapping functions of myosin-I isoforms? E.M. Ostap and T.D. Pollard

Regular Articles

- In vivo evidence that TATA-binding protein/SL1 colocalizes with UBF and RNA polymerase I when rRNA synthesis is either active or inactive.
   P. Jordan, M. Mannervik, L. Tora, and M. Carmo-Fonseca
- 235 The rDNA transcription machinery is assembled during mitosis in active NORs and absent in inactive NORs.

P. Roussel, C. André, L. Comai, and D. Hernandez-Verdun

- 247 Different biosynthetic transport routes to the plasma membrane in BHK and CHO cells.
  - T. Yoshimori, P. Keller, M.G. Roth, and K. Simons
- 257 Cab45, a novel Ca<sup>2+</sup>-binding protein localized to the Golgi lumen.

P.E. Scherer, G.Z. Lederkremer, S. Williams, M. Fogliano, G. Baldini, and H.F. Lodish

- The sorting sequence of the peroxisomal integral membrane protein PMP47 is contained within a short hydrophilic loop.
  - J.M. Dyer, J.A. McNew, and J.M. Goodman
- 281 Isoforms of the invariant chain regulate transport of MHC class II molecules to antigen processing compartments.
  - P.A.M. Warmerdam, E.O. Long, and P.A. Roche
- 293 Ligand-induced protease receptor translocation into caveolae: A mechanism for regulating cell surface proteolysis of the tissue factor-dependent coagulation pathway.
  - J.R. Sevinsky, L.V.M. Rao, and W. Ruf
- 305 Dictyostelium mutants lacking multiple classic myosin I isoforms reveal combinations of shared and distinct functions.
  - G. Jung, X. Wu, and J.A. Hammer III
- 325 Induction of DNA synthesis and apoptosis in cardiac myocytes by E1A oncoprotein.
  - Y. Liu and R.N. Kitsis

- 335 Fas and Fas ligand in embryos and adult mice: Ligand expression in several immune-privileged tissues and coexpression in adult tissues characterized by apoptotic cell turnover.
  - L.E. French, M. Hahne, I. Viard, G. Radlgruber, R. Zanone, K. Becker, C. Müller, and J. Tschopp
- 345 14-3-3 proteins associate with phosphorylated simple epithelial keratins during cell cycle progression and act as a solubility cofactor.
  - J. Liao and M.B. Omary
- 359 The binding of plakoglobin to desmosomal cadherins: Patterns of binding sites and topogenic potential.
  - N.A. Chitaev, R.E. Leube, R.B. Troyanovsky, L.G. Eshkind, W.W. Franke, and S.M. Troyanovsky
- 371 Inner dynein arms but not outer dynein arms require the activity of kinesin homologue protein KHP1<sup>FLA10</sup> to reach the distal part of flagella in *Chlamydomonas*.
  - G. Piperno, K. Mead, and S. Henderson
- 381 Alcohol inhibits cell-cell adhesion mediated by human L1.
  - R. Ramanathan, M.F. Wilkemeyer, B. Mittal, G. Perides, and M.E. Charness
- 391 Adhesion-dependent cell cycle progression linked to the expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of the retinoblastoma protein.
  - X. Zhu, M. Ohtsubo, R.M. Böhmer, J.M. Roberts, and R.K. Assoian
- 405 Stimulation of fibroblast growth factor receptor-1 occupancy and signaling by cell surface—associated syndecans and glypican.
  - R. Steinfeld, H. Van Den Berghe, and G. David

## Contents continued

Cover picture: Cab45 is a resident Golgi protein. Staining of 3T3 cells with an anti-Cab45 antibody shows a typical Golgi staining pattern (left panel). Upon treatment with brefeldin A, the Golgi pattern collapses into a diffuse punctate pattern characteristic of the ER (right panel). See related article by Scherer et al., 257–268.

- Inhibition of laminin  $\alpha$ 1-chain expression leads to alteration of basement membrane assembly and cell differentiation.
  - A. De Arcangelis, P. Neuville, R. Boukamel, O. Lefebvre, M. Kedinger, and P. Simon-Assmann
- 431 A novel role for the integrin-binding III-10 module in fibronectin matrix assembly.

  D.C. Hoeking, P.K. Smith, and P.I. McKenyn Long.
  - D.C. Hocking, R.K. Smith, and P.J. McKeown-Longo
- 445 Leukocyte adhesion to vascular endothelium induces E-selectin linkage to the actin cytoskeleton.
  - M. Yoshida, W.F. Westlin, N. Wang, D.E. Ingber, A. Rosenzweig, N. Resnick, and M.A. Gimbrone, Jr.

- 457 Chondrogenic differentiation of clonal mouse embryonic cell line ATDC5 in vitro:

  Differentiation-dependent gene expression of parathyroid hormone (PTH)/PTH-related peptide receptor.
  - C. Shukunami, C. Shigeno, T. Atsumi, K. Ishizeki, F. Suzuki, and Y. Hiraki
- 469 Intracellular interaction of collagen-specific stress protein HSP47 with newly synthesized procollagen.
  - M. Satoh, K. Hirayoshi, S. Yokota, N. Hosokawa, and K. Nagata