

Contents:

The Journal of Cell Biology

Volume 137, Number 3, May 5, 1997

- 523 **Subnuclear trafficking of glucocorticoid receptors in vitro: Chromatin recycling and nuclear export.**
J. Yang, J. Liu, and D.B. DeFranco
- 539 **A proteasome cap subunit required for spindle pole body duplication in yeast.**
H.B. McDonald and B. Byers
- 555 **Multiple determinants direct the orientation of signal-anchor proteins: The topogenic role of the hydrophobic signal domain.**
J.M. Wahlberg and M. Spiess
- 563 **Two new Ypt GTPases are required for exit from the yeast *trans*-Golgi compartment.**
G. Jedd, J. Mulholland, and N. Segev
- 581 **p53/58 binds COPI and is required for selective transport through the early secretory pathway.**
E.J. Tisdale, H. Plutner, J. Matteson, and W.E. Balch
- 595 **Differential sorting of lysosomal enzymes out of the regulated secretory pathway in pancreatic β -cells.**
R. Kuliawat, J. Klumperman, T. Ludwig, and P. Arvan
- 609 **Transport of a large oligomeric protein by the cytoplasm to vacuole protein targeting pathway.**
J. Kim, S.V. Scott, M.N. Oda, and D.J. Klionsky
- 619 **Transmembrane domain sequence requirements for activation of the p185^{c-neu} receptor tyrosine kinase.**
L.I. Chen, M.K. Webster, A.N. Meyer, and D.J. Donoghue
- 633 **Mitochondrial regulation of store-operated calcium signaling in T lymphocytes.**
M. Hoth, C.M. Fanger, and R.S. Lewis
- 649 ***Chlamydomonas* inner-arm dynein mutant, *ida5*, has a mutation in an actin-encoding gene.**
T. Kato-Minoura, M. Hirono, and R. Kamiya
- 657 **An unexpected localization of basонуclin in the centrosome, mitochondria, and acrosome of developing spermatids.**
Z.-h. Yang, G.I. Gallicano, Q.-C. Yu, and E. Fuchs
- 671 **Agrin binds to the nerve-muscle basal lamina via laminin.**
A.J. Denzer, R. Brandenberger, M. Gesemann, M. Chiquet, and M.A. Ruegg
- 685 **The laminin α chains: Expression, developmental transitions, and chromosomal locations of α 1-5, identification of heterotrimeric laminins 8-11, and cloning of a novel α 3 isoform.**
J.H. Miner, B.L. Patton, S.L. Lentz, D.J. Gilbert, W.D. Snider, N.A. Jenkins, N.G. Copeland, and J.R. Sanes
- 703 **Tyrosine phosphorylation at a site highly conserved in the L1 family of cell adhesion molecules abolishes ankyrin binding and increases lateral mobility of neurofascin.**
T.D. Garver, Q. Ren, S. Tuvia, and V. Bennett
- 715 **Specific uptake of tumor necrosis factor- α is involved in growth control of *Trypanosoma brucei*.**
S. Magez, M. Geuskens, A. Beschin, H. del Favero, H. Verschueren, R. Lucas, E. Pays, and P. de Baetselier
- 729 **α 3 β 1 integrin is required for normal development of the epidermal basement membrane.**
C.M. DiPersio, K.M. Hodivala-Dilke, R. Jaenisch, J.A. Kreidberg, and R.O. Hynes
- 743 **Expression of a P-selectin ligand in zona pellucida of porcine oocytes and P-selectin on acrosomal membrane of porcine sperm cells. Potential implications for their involvement in sperm-egg interactions.**
J.-G. Geng, T.J. Raub, C.A. Baker, G.A. Sawada, L. Ma, and Å.P. Elhammer

Contents continued

Cover picture: A portion of a seminiferous tubule from a two-week-old mouse was analyzed using indirect immunofluorescence and the nuclear stain, DAPI. Anti-basонуclin-stained centrosomes (*green dots*) which are next to their respective spermatocyte nuclei. See related article in this issue by Yang et al., 657-669.

- 755 **Tenascin supports lymphocyte rolling.**
R.A. Clark, H.P. Erickson, and T.A. Springer
- 767 **Reduction in surface urokinase receptor forces malignant cells into a protracted state of dormancy.**
W. Yu, J. Kim, and L. Ossowski
- 779 **Phosphorylation of human pro-urokinase on ser^{138/303} impairs its receptor-dependent ability to promote myelomonocytic adherence and motility.**
P. Franco, C. Iaccarino, F. Chiaradonna, A. Brandazza, C. Iavarone, M.R. Mastronicola, M.L. Nolli, and M.P. Stoppelli