Contents:

The Journal of Cell Biology

Volume 143, Number 5, November 30, 1998

In Brief

Kakapo keeps it all together. Collagen squeezes out the notochord. Viral fusion machinery. Multiple targets for PTEN. For Tiam1, location is everything.

W.A. Wells

Regular Articles

1145 Processing of the *psbA* 5' untranslated region in *Chlamydomonas reinhardtii* depends upon factors mediating ribosome association.

R.K. Bruick and S.P. Mayfield

1155 Membrane fusion mediated by baculovirus gp64 involves assembly of stable gp64 trimers into multiprotein aggregates.

I. Markovic, H. Pulyaeva, A. Sokoloff, and L.V. Chernomordik

1167 Involvement of long chain fatty acid elongation in the trafficking of secretory vesicles in yeast.

D. David, S. Sundarababu, and J.E. Gerst

1183 Integral membrane protein sorting to vacuoles in plant cells: Evidence for two pathways.

L. Jiang and J.C. Rogers

1201 Ca²⁺-dependent muscle dysfunction caused by mutation of the *Caenorhabditis elegans* troponin T-1 gene.

K. McArdle, T.StC. Allen, and E.A. Bucher

1215 *Unc-45* mutations in *Caenorhabditis elegans* implicate a CRO1/She4p-like domain in myosin assembly.

J.M. Barral, C.C. Bauer, I. Ortiz, and H.F. Epstein

1227 Nexilin: A novel actin filament-binding protein localized at cell-matrix adherens junction.

T. Ohtsuka, H. Nakanishi, W. Ikeda, A. Satoh, Y. Momose, H. Nishioka, and Y. Takai

1239 The "8-kD" cytoplasmic dynein light chain is required for nuclear migration and for dynein heavy chain localization in *Aspergillus nidulans*.
S.M. Beckwith, C.H. Roghi, B. Liu, and N.R. Morris

1249 Roles of Rho-associated kinase in cytokinesis; mutations in Rho-associated kinase phosphorylation sites impair cytokinetic segregation of glial filaments.

> Y. Yasui, M. Amano, K.-i. Nagata, N. Inagaki, H. Nakamura, H. Saya, K. Kaibuchi, and M. Inagaki

1259 Kakapo, a novel cytoskeletal-associated protein is essential for the restricted localization of the neuregulin-like factor, Vein, at the muscle-tendon junction site.

D. Strumpf and T. Volk

1271 *kakapo*, a gene required for adhesion between and within cell layers in *Drosophila*, encodes a large cytoskeletal linker protein related to plectin and dystrophin.

S.L. Gregory and N.H. Brown

1283 The *kakapo* mutation affects terminal arborization and central dendritic sprouting of *Drosophila* motorneurons.

A. Prokop, J. Uhler, J. Roote, and M. Bate

1295 Ankyrin_G is required for clustering of voltage-gated Na channels at axon initial segments and for normal action potential firing.

D. Zhou, S. Lambert, P.L. Malen, S. Carpenter, L.M. Boland, and V. Bennett

1305 Nervous system defects of ankyrin_B (-/-) mice suggest functional overlap between the cell adhesion molecule L1 and 440-kD ankyrin_B in premyelinated axons.

P. Scotland, D. Zhou, H. Benveniste, and V. Bennett

1317 Removal of the membrane-anchoring domain of epidermal growth factor leads to intracrine signaling and disruption of mammary epithelial cell organization.

H.S. Wiley, M.F. Woolf, L.K. Opresko, P.M. Burke, B. Will, J.R. Morgan, and D.A. Lauffenburger

1329 In vitro repression of Brca1-associated RING domain gene, *Bard1*, induces phenotypic changes in mammary epithelial cells.

I. Irminger-Finger, J.V. Soriano, G. Vaudan, R. Montesano, and A.-P. Sappino

1341 Integration of endothelial cells in multicellular spheroids prevents apoptosis and induces differentiation.

T. Korff and H.G. Augustin

1353 Caspase-independent cell killing by Fas-associated protein with death domain.

A. Kawahara, Y. Ohsawa, H. Matsumura, Y. Uchiyama, and S. Nagata

1361 SAPK2/p38-dependent F-actin reorganization regulates early membrane blebbing during stress-induced apoptosis.

J. Huot, F. Houle, S. Rousseau, R.G. Deschesnes, G.M. Shah, and J. Landry

Contents continued

Cover picture: Dorso-lateral view of *Drosophila* embryonic muscles showing Kakapo (*green*) expressed in rows of epidermal muscle attachment cells with rhodamine-phalloidin–labeled muscles (*red*). See related article in this issue by Gregory and Brown, 1271–1282.

- 1375 Tumor suppressor PTEN inhibits integrin- and growth factor-mediated mitogen-activated protein (MAP) kinase signaling pathways.
 - J. Gu, M. Tamura, and K.M. Yamada
- 1385 Matrix-dependent Tiam1/Rac signaling in epithelial cells promotes either cell-cell adhesion or cell migration and is regulated by phosphatidylinositol 3-kinase.

E.E. Sander, S. van Delft, J.P. ten Klooster, T. Reid, R.A. van der Kammen, F. Michiels, and J.G. Collard

1399 Collagen II is essential for the removal of the notochord and the formation of intervertebral discs.

A. Aszódi, D. Chan, E. Hunziker, J.F. Bateman, and R. Fässler

1413 ADDITIONS AND CORRECTIONS