

CONTENTS THE JOURNAL OF EXPERIMENTAL MEDICINE

Volume 155 No. 2 February 1, 1982

-
- 345 IKUO HARA, SHOZO IZUI, and FRANK J. DIXON. Murine serum glycoprotein gp70 behaves as an acute phase reactant
 - 358 RHODRI CEREDIG, ANDREW L. GLASEBROOK, and H. ROBSON MACDONALD. Phenotypic and functional properties of murine thymocytes. I. Precursors of cytolytic T lymphocytes and interleukin 2-producing cells are all contained within a subpopulation of "mature" thymocytes as analyzed by monoclonal antibodies and flow microfluorometry
 - 380 LINDA A. SHERMAN. Influence of the major histocompatibility complex on the repertoire of allospecific cytolytic T lymphocytes
 - 390 ANDREAS JÖRG, WILLIAM R. HENDERSON, ROBERT C. MURPHY, and SEYMOUR J. KLEBANOFF. Leukotriene generation by eosinophils
 - 403 D. E. WYLIE, L. A. SHERMAN, and N. R. KLINMAN. Participation of the major histocompatibility complex in antibody recognition of viral antigens expressed on infected cells
 - 415 MICHEL RABINOVITCH, JEAN-PIERRE DEDET, ANTOINETTE RYTER, ROGER ROBINEAUX, GAIL TOPPER, and EVELYNE BRUNET. Destruction of *Leishmania mexicana amonzonensis* amastigotes within macrophages in culture by phenazine methosulfate and other electron carriers
 - 432 E. A. M. ROSS, N. ANDERSON, and H. S. MICKLEM. Serial depletion and regeneration of the murine hematopoietic system. Implications for hematopoietic organization and the study of cellular aging
 - 445 LAURIE H. GLIMCHER, KYUNG-JIN KIM, IRA GREEN, and WILLIAM E. PAUL. Ia antigen-bearing B cell tumor lines can present protein antigen and alloantigen in a major histocompatibility complex-restricted fashion to antigen-reactive T cells
 - 460 T. OITE, S. R. BATSFORD, M. J. MIHATSCH, H. TAKAMIYA, and A. VOGT. Quantitative studies of *in situ* immune complex glomerulonephritis in the rat induced by planted, cationized antigen
 - 475 YSOLINA M. CENTIFANTO-FITZGERALD, TATSUO YAMAGUCHI, HERBERT E. KAUFMAN, MAURO TOGNON, and BERNARD ROIZMAN. Ocular disease pattern induced by herpes simplex virus is genetically determined by a specific region of viral DNA
 - 490 JANET M. McNICHOLAS, DONAL B. MURPHY, LOUIS A. MATIS, RONALD H. SCHWARTZ, ETHAN A. LERNER, CHARLES A. JANEWAY, JR., and PATRICIA P. JONES. Immune response gene function correlates with the expression of an Ia antigen. I. Preferential association of certain A_u and E_u chains results in a quantitative deficiency in expression of an A_u:E_u complex
 - 508 LOUIS A. MATIS, PATRICIA P. JONES, DONAL B. MURPHY, STEPHEN M. HEDRICK, ETHAN A. LERNER, CHARLES A. JANEWAY, JR., JANET M. McNICHOLAS, and RONALD H. SCHWARTZ. Immune response gene function correlates with the expression of an Ia antigen. II. A quantitative deficiency in A_u:E_u complex expression causes a corresponding defect in antigen-presenting cell function
 - 524 CHRISTINE A. KOZAK and WALLACE P. ROWE. Genetic mapping of ecotropic murine leukemia virus-inducing loci in six inbred strains
 - 535 WILLIAM A. SCOTT, NICHOLAS A. PAWLOWSKI, MARIANNE ANDREACH, and ZANVIL A. COHN. Resting macrophages produce distinct metabolites from exogenous arachidonic acid
 - 548 BARBARA ALPERT and J. SPRENT. Role of the H-2 complex in induction of T helper cells in vivo. III. Contribution of the I-E subregion to restriction sites recognized by I-A/E-restricted T cells
 - 557 JAMES L. URBAN, ROBERT C. BURTON, J. MICHAEL HOLLAND, MARGARET L. KRIPKE, and HANS SCHREIBER. Mechanisms of syngeneic tumor rejection. Susceptibility of host-selected progressor variants to various immunological effector cells
 - 574 NANCY A. SPECK and SUSAN K. PIERCE. The collaborative phenotype of secondary B cells is determined by T lymphocytes during in vivo immunizations
 - 587 JYONG-CHYUL CYONG, STEVEN S. WITKIN, BARBARA RIEGER, ELISA BARBARESE, ROBERT A. GOOD, and NOORBIBI K. DAY. Antibody-independent complement activation by myelin via the classical complement pathway

CONTENTS CONTINUED ON REVERSE OF THIS COVER

BRIEF DEFINITIVE REPORTS

- 599 ALLESANDRO MORETTA, ROBERTO S. ACCOLLA, and JEAN-CHARLES CEROTINI. IL-2-mediated T cell proliferation in humans is blocked by a monoclonal antibody directed against monomorphic determinants of HLA-DR antigens
- 605 HIROSHI KIYONO, JERRY R. MCGHEE, MICHAEL J. WANNEMUEHLER, and SUZANNE M. MICHALEK. Lack of oral tolerance in C3H/HeJ mice
- 611 ABBOT F. CLARK and J. DONALD CAPRA. Ubiquitous nonimmunoglobulin *p*-azobenzenearsonate-binding molecules from lymphoid cells
- 617 RH. CEREDIG, E. J. JENKINSON, H. R. MACDONALD, and J. J. T. OWEN. Development of cytolytic T lymphocyte precursors in organ-cultured mouse embryonic thymus rudiments
- 623 FEDERICO CALIGARIS-CAPPIO, MARCO GOBBI, MARGARITA BOFILL, and GEORGE JANOSSY. Infrequent normal B lymphocytes express features of B-chronic lymphocytic leukemia
- 629 EDWIN B. WALKER, LEWIS L. LANIER, and NOEL L. WARNER. Concomitant induction of the cell surface expression of Ia determinants and accessory cell function by a murine macrophage tumor cell line
- 635 ROBERT B. CLARK and ETHAN M. SHEVACH. Generation of T cell colonies from responder strain 2 guinea pigs which recognize the copolymer L-glutamic acid, L-lysine in association with nonresponder strain 13 Ia antigens
- 641 S. JAYARAMAN, J. E. SWIERKOSZ, and C. J. BELLONE. T cell replacing factor substitutes for an I-J⁺ idiotype-specific T helper cell

PREPARATION OF MANUSCRIPT Articles should conform to the style of a current issue of this journal or to the recommendations of the *Council of Biology Editors Style Manual* (4th edition, 1978, American Institute of Biological Sciences, 1401 Wilson Blvd., Arlington, Va. 22209). Note that each reference should contain the title of the pertinent citation. Please supply a brief title for a running head, not exceeding 57 characters and spaces. Only original typescript is acceptable for the printer; in addition, submit a fully legible carbon, mimeographed, or Xerox copy. Double space entire manuscript, including references, legends, footnotes, and tables.

PREPARATION OF ILLUSTRATIONS Label all illustrations (photographs, micrographs, charts, or drawings) sequentially with arabic numerals; designate them as figures. Number tables with roman numerals. In the margin of the manuscript, indicate approximately where each figure or table should appear.

PAGE SIZE The text block on each Journal page is 5 × 7¾ inches. Plan illustrations, including their legends, to fit within these dimensions after reduction. Avoid figures that exceed 5 inches in width unless they can fill the entire page, including margins. The maximum area for such full-page figures, including their legends, is 5½ × 8.

LINE DRAWINGS Provide original ink drawing (preferably 8½ × 11 inches maximum). These give the sharpest reproductions. The lettering should be sans serif, and of consistent size, and so planned that the size of the lettering is in scale with the size and complexity of the figures. Lettering and labeling should be large enough to permit reduction to a minimum size. Capital letters and numbers should be 1½ to 1¾ mm high after reduction.

MICROGRAPHS Micrographs should be planned so that they can be reproduced same size (not reduced). Figure numbers and lettering should be 2½ to 3 mm high in sans serif style. If authors are unable to provide figures labeled satisfactorily, the Press will label them; in this case, the author must provide an overlay or diagram to show exactly where such labeling should appear.

In general, limit the field of a micrograph to the regions and structures discussed in the report; eliminate irrelevant structures or expanses. Cropping unnecessary areas from micrographs saves space and expense. If a micrograph must be specifically oriented, mark "top" on the back of the print.

Micrographs that are grouped should be of uniform size and shape, with the edges of the prints touching. The engraver will tool thin white lines between figures. Plan the over-all size of the grouping so the legend will fit below the composite; if the grouping occupies a full page, the legend will appear at the foot of the facing page. The Journals Office prefers that multiple photographs be submitted unmounted with a diagram showing the desired layout.