

# CONTENTS THE JOURNAL OF EXPERIMENTAL MEDICINE

Volume 160 No. 3 September 1, 1984

- 
- 633 MAKOTO KAWATA, JANE R. PARNES, and LEONARD A. HERZENBERG. Transcriptional control of HLA-A,B,C antigen in human placental cytotrophoblast isolated using trophoblast- and HLA-specific monoclonal antibodies and the fluorescence-activated cell sorter
  - 652 HIROMITSU KIMURA, ALLAN PICKARD, and DARCY B. WILSON. Analysis of T cell populations that induce and mediate specific resistance to graft-versus-host disease in rats
  - 659 HAJIME KAWAMURA, YOICHI KOHNO, MARK BUSCH, FRANK R. N. GURD, and JAY A. BERZOF-SKY. A major anti-myoglobin idotype. Influence of *H-2-linked Ir* genes on idotype expression
  - 679 NEAL W. ROEHM, H. JAMES LEIBSON, ALBERT ZLOTNICK, JOHN KAPPLER, PHILIPPA MARRACK, and JOHN C. CAMBIER. Interleukin-induced increase in Ia expression by normal mouse B cells
  - 695 ECKHARD R. PODACK and PAULA J. KONIGSBERG. Cytolytic T cell granules. Isolation, structural, biochemical, and functional characterization
  - 711 J. SPRENT and JENNIFER BRUCE. Physiology of B cells in mice with X-linked immunodeficiency (*xid*). III. Disappearance of *xid* B cells in double bone marrow chimeras
  - 724 STEPHEN B. ALEY, Z. A. COHN, and W. A. SCOTT. Endocytosis in *Entamoeba histolytica*. Evidence for a unique non-acidified compartment
  - 738 ANGELA GRANELLI-PIPERNO, LINDA ANDRUS, and E. REICH. Antibodies to interleukin 2. Effects on immune responses in vitro and in vivo
  - 751 MANABU SUZUKI, TOSHIO YABE, MASAHIRO SATAKE, TAKEO JUJI, and HIDEO HAMAGUCHI. Two-dimensional gel electrophoretic analysis of the MT3 and DR4 molecules from the different D-typed cells
  - 759 DAVID E. HARRISON, CLINTON M. ASTLE, and CHARLES LERNER. Ultimate erythropoietic repopulating abilities of fetal, young adult, and old adult cells compared using repeated irradiation
  - 772 JOHN A. SCHMIDT. Purification and partial biochemical characterization of normal human interleukin 1
  - 788 MARGARET E. PERKINS. Surface proteins of *Plasmodium falciparum* merozoites binding to the erythrocyte receptor, glycophorin
  - 799 EDWARD T. H. YEH, BARUJ BENACERRAF, and KENNETH L. ROCK. Analysis of thymocyte MHC specificity with thymocyte hybridomas
  - 814 ARON E. LUKACHER, VIVIAN L. BRACIALE, and THOMAS J. BRACIALE. In vivo effector function of influenza virus-specific cytotoxic T lymphocyte clones is highly specific
  - 827 PETER D'EUSTACHIO. A genetic map of mouse chromosome 12 composed of polymorphic DNA fragments
  - 839 ADA M. KRUISBEEK, MARY L. DAVIS, LOUIS A. MATIS, and DAN L. LONGO. Self-recognition specificity expressed by T cells from nude mice. Absence of detectable Ia-restricted T cells in nude mice that do exhibit self-K/D-restricted T cell responses
  - 858 KAYO INABA, MARGIT D. WITMER, and RALPH M. STEINMAN. Clustering of dendritic cells, helper T lymphocytes, and histocompatible B cells during primary antibody responses in vitro
  - 877 GEORGE LAMSON and MARIAN ELLIOTT KOSHLAND. Changes in J chain and  $\mu$  chain RNA expression as a function of B cell differentiation
  - 893 BERNARDO PONS-ESTEL, FERNANDO GOÑI, ALAN SOLOMON, and BLAS FRANGIONE. Sequence similarities among  $\kappa$ IIIb chains of monoclonal human IgM $\kappa$  autoantibodies
  - 905 NADINE E. LEE, PETER D'EUSTACHIO, DIMITRINA PRAVTCHEVA, FRANK H. RUDDLE, STEPHEN M. HEDRICK, and MARK M. DAVIS. Murine T cell receptor beta chain is encoded on chromosome 6
  - 914 PAUL V. O'DONNELL, RICHARD WOLLER, and ALAN CHU. Stages in development of mink cell focus-inducing (MCF) virus-accelerated leukemia in AKR mice

CONTENTS CONTINUED ON REVERSE OF THIS COVER

#### BRIEF DEFINITIVE REPORTS

- 935 JURG GYSIN, JOHN BARNWELL, DAVID H. SCHLESINGER, VICTOR NUSSENZWEIG, and RUTH S. NUSSENZWEIG. Neutralization of the infectivity of sporozoites of *Plasmodium knowlesi* by antibodies to a synthetic peptide
- 941 DAVID M. SPALDING, SHANE I. WILLIAMSON, WILLIAM J. KOOPMAN, and JERRY R. MCGHEE. Preferential induction of polyclonal IgA secretion by murine Peyer's patch dendritic cell-T cell mixtures
- 947 HANS DIETER ROYER, ARMAND BENSUSSAN, ORESTE ACUTO, and ELLIS L. REINHERZ. Functional isotypes are not encoded by the constant region genes of the  $\beta$  subunit of the T cell receptor for antigen/major histocompatibility complex

COPYEDITING AND PRODUCTION *Heather Libbey and Richard Cunniff*

**PREPARATION OF MANUSCRIPT** Articles should conform to the style of a current issue of this journal or to the recommendations of the *Council of Biology Editors Style Manual* (4th edition, 1978, American Institute of Biological Sciences, 1401 Wilson Blvd., Arlington, Va. 22209). Note that each reference should contain the title of the pertinent citation. Please supply a brief title for a running head, not exceeding 55 characters and spaces, with no abbreviations. Capitalize trade names and give manufacturers' full names and addresses. Only original typescript is acceptable for the printer; in addition, submit a fully legible carbon, mimeographed, or Xerox copy. Double space entire manuscript, including references, legends, footnotes, and tables.

**PREPARATION OF ILLUSTRATIONS** Label all illustrations (photographs, micrographs, charts, or drawings) sequentially with arabic numerals; designate them as figures. Number tables with roman numerals. In the margin of the manuscript, indicate approximately where each figure or table should appear.

**PAGE SIZE** The text block on each Journal page is  $5 \times 7\frac{3}{4}$  inches. Plan illustrations, including their legends, to fit within these dimensions after reduction.

**LINE DRAWINGS** Provide original ink drawing (preferably  $8\frac{1}{2} \times 11$  inches maximum). These give the sharpest reproductions. The lettering should be sans serif, and of consistent size, and so planned that the size of the lettering is in scale with the size and complexity of the figures. Lettering and labeling should be large enough to permit reduction to a minimum size. Capital letters and numbers should be  $1\frac{1}{2}$  to  $1\frac{3}{4}$  mm high after reduction.

**MICROGRAPHS** Micrographs should be planned so that they can be reproduced same size (not reduced). Figure numbers and lettering should be  $2\frac{1}{2}$  to 3 mm high in sans serif style. If authors are unable to provide figures labeled satisfactorily, the Press will label them; in this case, the author must provide an overlay or diagram to show exactly where such labeling should appear.

In general, limit the field of a micrograph to the regions and structures discussed in the report; eliminate irrelevant structures or expanses. Cropping unnecessary areas from micrographs saves space and expense. If a micrograph must be specifically oriented, mark "top" on the back of the print.

Micrographs that are grouped should be of uniform size and shape, with the edges of the prints touching. The engraver will tool thin white lines between figures. Plan the over-all size of the grouping so the legend will fit below the composite; if the grouping occupies a full page, the legend will appear at the foot of the facing page. The Journals Office prefers that multiple photographs be submitted unmounted with a diagram showing the desired layout.