

THE JOURNAL OF EXPERIMENTAL MEDICINE

Volume 177 No. 2 February 1, 1993

Contents

- 249 **Andrew Carmichael, Xia Jin, Patrick Sissons, and Leszek Borysiewicz.** Quantitative analysis of the human immunodeficiency virus type 1 (HIV-1)-specific cytotoxic T lymphocyte (CTL) response at different stages of HIV-1 infection: differential CTL responses to HIV-1 and Epstein-Barr virus in late disease
- 257 **Dominique Dunon, Max D. Cooper, and Beat A. Imhof.** Thymic origin of embryonic intestinal γ/δ T cells
- 265 **Nicholas P. Restifo, Fernando Esquivel, Yutaka Kawakami, Jonathan W. Yewdell, James J. Mulé, Steven A. Rosenberg, and Jack R. Bennink.** Identification of human cancers deficient in antigen processing
- 273 **Zheng Feng, R. Nicholas Hoffmann, Ruth S. Nussenzweig, Moriya Tsuji, Hisashi Fujioka, Masamichi Aikawa, Ton H. W. Lensen, Thivi Ponnudurai, and Laura G. Pologe.** Pfs2400 can mediate antibody-dependent malaria transmission inhibition and may be the *Plasmodium falciparum* 11.1 gene product
- 283 **Joseph A. Mollick, Richard L. McMasters, Douglas Grossman, and Robert R. Rich.** Localization of a site on bacterial superantigens that determines T cell receptor β chain specificity
- 295 **Nicholas Burdin, Catherine Péronne, Jacques Banchereau, and Françoise Rousset.** Epstein-Barr virus transformation induces B lymphocytes to produce human interleukin 10
- 305 **Benjamin E. Rich, Juanita Campos-Torres, Robert I. Tepper, Randall W. Moreadith, and Philip Leder.** Cutaneous lymphoproliferation and lymphomas in interleukin 7 transgenic mice
- 317 **Sharon R. Nahill and Raymond M. Welsh.** High frequency of cross-reactive cytotoxic T lymphocytes elicited during the virus-induced polyclonal cytotoxic T lymphocyte response
- 329 **Akhilesh Pandey, Larry W. Tjoelker, and Craig B. Thompson.** Restricted immunoglobulin junctional diversity in neonatal B cells results from developmental selection rather than homology-based V(D)J joining
- 339 **E. M. Deacon, G. Pallesen, G. Niedobitek, J. Crocker, L. Brooks, A. B. Rickinson, and L. S. Young.** Epstein-Barr virus and Hodgkin's disease: transcriptional analysis of virus latency in the malignant cells
- 351 **Natesan Mohan, David Mottershead, Meena Subramanyam, Ulrich Beutner, and Brigitte T. Huber.** Production and characterization of an Mls-1-specific monoclonal antibody
- 359 **Werner Held, Alexander N. Shakhov, Shozo Izui, Gary A. Waanders, Leonardo Scarpellino, H. Robson MacDonald, and Hans Acha-Orbea.** Superantigen-reactive CD4 $^{+}$ T cells after infection with mouse mammary tumor virus
- 367 **Hiroshi Kosaka and Jonathan Sprent.** Tolerance of CD8 $^{+}$ T cells developing in parent \rightarrow F₁ chimeras prepared with supralethal irradiation: step-wise induction of tolerance in the intrathymic and extrathymic environments
- 379 **Charles D. Surh, Jonathan Sprent, and Susan R. Webb.** Exclusion of circulating T cells from the thymus does not apply in the neonatal period
- 387 **Gamal E. Osman, Masaaki Toda, Osami Kanagawa, and Leroy E. Hood.** Characterization of the T cell receptor repertoire causing collagen arthritis in mice
- 397 **Patrick G. Holt, Jane Oliver, Natalie Bilyk, Christine McMenamin, Paul G. McMenamin, Georg Kraal, and Theo Thepen.** Downregulation of the antigen presenting cell function(s) of pulmonary dendritic cells in vivo by resident alveolar macrophages

Contents continued on reverse of this cover

- 409 **A. K. Stewart, C. Huang, B. D. Stollar, and R. S. Schwartz.** High-frequency representation of a single V_{H} gene in the expressed human B cell repertoire
- 419 **A. Razzaque Ahmed, Aloke Mohimen, Edmond J. Yunis, Nadeem M. Mirza, Vijay Kumar, Ernst H. Beutner, and Chester A. Alper.** Linkage of pemphigus vulgaris antibody to the major histocompatibility complex in healthy relatives of patients
- 425 **Kai W. Wucherpfennig, Y. Joyce Liao, Margaret Prendergast, John Prendergast, David A. Hafler, and Jack L. Strominger.** Human fetal liver γ/δ T cells predominantly use unusual rearrangements of the T cell receptor δ and γ loci expressed on both $CD4^{+}CD8^{-}$ and $CD4^{-}CD8^{-}$ γ/δ T cells
- 433 **David L. Woodland, Hedy P. Smith, Sherri Surman, Phuong Le, Renren Wen, and Marcia A. Blackman.** Major histocompatibility complex-specific recognition of Mls-1 is mediated by multiple elements of the T cell receptor
- 443 **S. Seiter, R. Arch, S. Reber, D. Komitowski, M. Hofmann, H. Ponta, P. Herrlich, S. Matzku, and M. Zöller.** Prevention of tumor metastasis formation by anti-variant CD44
- 457 **Harold J. Burstein and Abul K. Abbas.** In vivo role of interleukin 4 in T cell tolerance induced by aqueous protein antigen
- 465 **Lain C. Pontes de Carvalho, Stephen Tomlinson, Filip Vandekerckhove, E. Jay Bienen, Allen B. Clarkson, Man-Shiow Jiang, Gerald W. Hart, and Victor Nussenzweig.** Characterization of a novel trans-sialidase of *Trypanosoma brucei* procyclic trypomastigotes and identification of procyclin as the main sialic acid acceptor
- 475 **Simon R. Carding, William Allan, Anthony McMickle, and Peter C. Doherty.** Activation of cytokine genes in T cells during primary and secondary murine influenza pneumonia
- 483 **Hedy Teppler, Gilla Kaplan, Kendall A. Smith, Antonia L. Montana, Peter Meyn, and Zanvil A. Cohn.** Prolonged immunostimulatory effect of low-dose polyethylene glycol interleukin 2 in patients with human immunodeficiency virus type 1 infection
- 493 **Jeongwon Sohn, Rachel M. Gerstein, Chih-Lin Hsieh, Matthew Lemer, and Erik Selsing.** Somatic hypermutation of an immunoglobulin μ heavy chain transgene

Brief Definitive Reports

- 505 **Patrick E. Duffy, Paulo Pimenta, and David C. Kaslow.** Pgs28 belongs to a family of epidermal growth factor-like antigens that are targets of malaria transmission-blocking antibodies
- 511 **Xiaoke Zhang and David C. Morrison.** Lipopolysaccharide-induced selective priming effects on tumor necrosis factor α and nitric oxide production in mouse peritoneal macrophages
- 517 **Minoru Takahashi, Junji Takeda, Shinichi Hirose, Robert Hyman, Norimitsu Inoue, Toshio Miyata, Etsuko Ueda, Teruo Kitani, M. Edward Medoff, and Taroh Kinoshita.** Deficient biosynthesis of N-acetylglucosaminyl-phosphatidylinositol, the first intermediate of glycosyl phosphatidylinositol anchor biosynthesis, in cell lines established from patients with paroxysmal nocturnal hemoglobinuria
- 523 **Pascale Chomarat, Marie-Clotilde Rissoan, Jacques Banchereau, and Pierre Miossec.** Interferon γ inhibits interleukin 10 production by monocytes
- 529 **Steven Greenberg, Peter Chang, and Samuel C. Silverstein.** Tyrosine phosphorylation is required for Fc receptor-mediated phagocytosis in mouse macrophages
- 535 **Margo C. Honeyman, David S. Cram, and Leonard C. Harrison.** Glutamic acid decarboxylase 67-reactive T cells: a marker of insulin-dependent diabetes
- 541 **Jung-Hyun Park, Rita Mitnacht, Nora Torres-Nagel, and Thomas Hünig.** T cell receptor ligation induces interleukin (IL) 2R β chain expression in rat CD4,8 double positive thymocytes, initiating an IL-2-dependent differentiation pathway of $CD8\alpha^{+}/\beta^{-}$ T cells
- 547 **Catherine Gérard, Catherine Bruyns, Arnaud Marchant, Daniel Abramowicz, Peter Vandenebeele, Anne Delvaux, Walter Fiers, Michel Goldman, and Thierry Velu.** Interleukin 10 reduces the release of tumor necrosis factor and prevents lethality in experimental endotoxemia

- 551 **Patrick Durez, Daniel Abramowicz, Catherine Gérard, Marcelle Van Mechelen, Zoulikka Amraoui, Christine Dubois, Oberdan Leo, Thierry Velu, and Michel Goldman.** In vivo induction of interleukin 10 by anti-CD3 monoclonal antibody or bacterial lipopolysaccharide: differential modulation by cyclosporin A
- 557 **A. G. Wilson, N. de Vries, F. Pociot, F. S. di Giovine, L. B. A. van der Putte, and G. W. Duff.** An allelic polymorphism within the human tumor necrosis factor α promoter region is strongly associated with HLA A1, B8, and DR3 alleles
- 561 **V. B. Weg, T. J. Williams, R. R. Lobb, and S. Nourshargh.** A monoclonal antibody recognizing very late activation antigen-4 inhibits eosinophil accumulation in vivo
- 567 **Mark J. Mamula.** The inability to process a self-peptide allows autoreactive T cells to escape tolerance
- 573 **Itsuo Iwamoto, Hiroshi Nakajima, Hideharu Endo, and Sho Yoshida.** Interferon γ regulates antigen-induced eosinophil recruitment into the mouse airways by inhibiting the infiltration of CD4 $^{+}$ T cells
- 577 **Correction**