

THE JOURNAL OF EXPERIMENTAL MEDICINE

Volume 184 No. 5 November 1, 1996

Contents

Commentary

- 1597 *Nora Sarvetnick.* Mechanisms of cytokine-mediated localized immunoprotection

Articles

- 1601 *D. Pajkrt, J.E. Doran, F. Koster, P.G. Lerch, B. Arnet, T. van der Poll, J.W. ten Cate, and S.J.H. van Deventer.* Antiinflammatory effects of reconstituted high-density lipoprotein during human endotoxemia
- 1609 *Vipin Kumar, Karl Stellrecht, and Eli Sercarz.* Inactivation of T cell receptor peptide-specific CD4 regulatory T cells induces chronic experimental autoimmune encephalomyelitis (EAE)
- 1619 *Chih-Pin Liu, John W. Kappler, and Philippa Marrack.* Thymocytes can become mature T cells without passing through the CD4⁺CD8⁺, double-positive stage
- 1631 *David H. Wagner, Jr., James Hagman, Peter S. Linsley, Wendy Hodsdon, John H. Freed, and M. Karen Newell.* Rescue of thymocytes from glucocorticoid-induced cell death mediated by CD28/CTLA-4 costimulatory interactions with B7-1/B7-2
- 1639 *M. Suzanne Chappel, Margaret R. Hough, Alexandra Mittel, Fumio Takei, Robert Kay, and R. Keith Humphries.* Cross-linking the murine heat-stable antigen induces apoptosis in B cell precursors and suppresses the anti-CD40-induced proliferation of mature resting B lymphocytes
- 1651 *Renate A. Morawetz, Lucia Gabriele, Luiz V. Rizzo, Nancy Noben-Trauth, Ralf Kühn, Klaus Rajewsky, Werner Müller, T. Mark Doherty, Fred Finkelman, Robert L. Coffman, and Herbert C. Morse III.* Interleukin (IL)-4-independent immunoglobulin class switch to immunoglobulin (Ig)E in the mouse
- 1663 *Virginia Smith Shapiro, Marianne Newton Mollenauer, Warner C. Greene, and Arthur Weiss.* c-Rel regulation of IL-2 gene expression may be mediated through activation of AP-1
- 1671 *Lianjun Shen, Terry A. Potter, and Kevin P. Kane.* Glu227→Lys substitution in the acidic loop of major histocompatibility complex class I α3 domain distinguishes low avidity CD8 coreceptor and avidity-enhanced CD8 accessory functions
- 1685 *Julie Lang, Michael Jackson, Luc Teyton, Anders Brunmark, Kevin Kane, and David Nemazee.* B cells are exquisitely sensitive to central tolerance and receptor editing induced by ultralow affinity, membrane-bound antigen
- 1699 *Mehdi Shakibaei and Ute Frevert.* Dual interaction of the malaria circumsporozoite protein with the low density lipoprotein receptor-related protein (LRP) and heparan sulfate proteoglycans
- 1713 *Yasuo Ota, Laurie O. Beitz, Andrew M. Scharenberg, Jerald A. Donovan, Jean-Pierre Kinet, and Lawrence E. Samelson.* Characterization of Cbl tyrosine phosphorylation and a Cbl-Syk complex in RBL-2H3 cells
- 1725 *Véronique Flamand, Elizabeth W. Shores, Tom Tran, Kun Huang, Eric Lee, Alexander Grinberg, Jean-Pierre Kinet, and Paul E. Love.* Delayed maturation of CD4⁻CD8⁻ FcγRII/III⁺ T and natural killer cell precursors in FcεRIγ transgenic mice
- 1737 *Andrew L. Ford, Eléna Foulcher, Frances A. Lemckert, and Jonathon D. Sedgwick.* Microglia induce CD4 T lymphocyte final effector function and death
- 1747 *John F. Katz, Christopher Stebbins, Ettore Appella, and Andrea J. Sant.* Invariant chain and DM edit self-peptide presentation by major histocompatibility complex (MHC) class II molecules
- 1755 *Una McKeever, Sanjay Khandekar, John Newcomb, Jerome Naylor, Paul Gregory, Pamela Brauer, Michael Jesson, Brian Bettencourt, Erica Burke, Amy Alderson, Julian Banerji, Kathryn Haskins,*

Contents continued on reverse of this cover

- and Barry Jones.* Immunization with soluble BDC 2.5 T cell receptor-immunoglobulin chimeric protein: antibody specificity and protection of nonobese diabetic mice against adoptive transfer of diabetes by maternal immunization
- 1769** *Johannes Stöckl, Otto Majdic, Petra Kohl, Winfried F. Pickl, Johannes E. Menzel, and Walter Knapp.* Leukosialin (CD43)-major histocompatibility class I molecule interactions involved in spontaneous T cell conjugate formation
- 1781** *Maries F. van den Broek, David Kägi, Ferry Ossendorp, René Toes, Spiros Vamvakas, Werner K. Lutz, Cornelis J.M. Melief, Rolf M. Zinkernagel, and Hans Hengartner.* Decreased tumor surveillance in perforin-deficient mice
- 1791** *Emmanuel Scotet, Jacques David-Ameline, Marie-Alix Peyrat, Agnès Moreau-Aubry, Delphine Pinczon, Annick Lim, Jos Even, Gilbert Semana, Jean-Marie Berthelot, Richard Breathnach, Marc Bonneville, and Elisabeth Houssaint.* T cell response to Epstein-Barr virus transactivators in chronic rheumatoid arthritis
- 1801** *Neil M. Steven, Alison M. Leese, Nicola E. Annels, Steven P. Lee, and Alan B. Rickinson.* Epitope focusing in the primary cytotoxic T cell response to Epstein-Barr virus and its relationship to T cell memory
- 1815** *Sharon L. Silins, Simone M. Cross, Suzanne L. Elliott, Stephanie J. Pye, Scott R. Burrows, Jacqueline M. Burrows, Denis J. Moss, Victor P. Argaet, and Ihor S. Misko.* Development of Epstein-Barr virus-specific memory T cell receptor clonotypes in acute infectious mononucleosis
- 1825** *Hal E. Broxmeyer, Scott Cooper, Grace Cacalano, Nancy L. Hague, Edward Bailish, and Mark W. Moore.* Involvement of interleukin (IL) 8 receptor in negative regulation of myeloid progenitor cells in vivo: evidence from mice lacking the murine IL-8 receptor homologue
- 1833** *Heinz Jacobs, John Iacomini, Marion van de Ven, Susumu Tonegawa, and Anton Berns.* Domains of the TCR β -chain required for early thymocyte development
- 1845** *Ian M. Bennett, Olga Zatsepina, Loris Zamai, Livio Azzoni, Tatiana Mikheeva, and Bice Perussia.* Definition of a natural killer NKR-P1A $^+$ /CD56 $^-$ /CD16 $^-$ functionally immature human NK cell subset that differentiates in vitro in the presence of interleukin 12
- 1857** *Pakathip Reynolds, Tom P. Gordon, Anthony W. Purcell, David C. Jackson, and James McCluskey.* Hierarchical self-tolerance to T cell determinants within the ubiquitous nuclear self-antigen La (SS-B) permits induction of systemic autoimmunity in normal mice
- 1871** *Elizabeth A. Sabin, Manfred A. Kopf, and Edward J. Pearce.* *Schistosoma mansoni* egg-induced early IL-4 production is dependent upon IL-5 and eosinophils
- 1879** *W. Scott Gallichan and Kenneth L. Rosenthal.* Long-lived cytotoxic T lymphocyte memory in mucosal tissues after mucosal but not systemic immunization
- 1891** *Phyllis-Jean Linton, Laura Haynes, Norman R. Klinman, and Susan L. Swain.* Antigen-independent changes in naive CD4 T cells with aging
- 1901** *Noboru Hattori, Hiroshi Kawamoto, and Yoshimoto Katsura.* Isolation of the most immature population of murine fetal thymocytes that includes progenitors capable of generating T, B, and myeloid cells
- 1909** *Jorge González, F. Juarez Ramalho-Pinto, Ute Frevert, Jorge Ghiso, Stephen Tomlinson, Julio Scharfstein, E.J. Corey, and Victor Nussenzweig.* Proteasome activity is required for the stage-specific transformation of a protozoan parasite
- 1919** *Serge Candéias, Kathrin Muegge, and Scott K. Durum.* Junctional diversity in signal joints from T cell receptor beta and delta loci via terminal deoxynucleotidyl transferase and exonuclease activity
- 1927** *Luisa Martínez-Pomares, Marie Kosco-Vilbois, Elizabeth Darley, Peter Tree, Suzanne Herren, Jean-Yves Bonnefoy, and Siamon Gordon.* Fc chimeric protein containing the cysteine-rich domain of the murine mannose receptor binds to macrophages from splenic marginal zone and lymph node subcapsular sinus and to germinal centers
- 1939** *Gui-Quan Jia, Jose A. Gonzalo, Clare Lloyd, L. Kremer, Lei Lu, C. Martinez-A, B.K. Wershil, and J.C. Gutierrez-Ramos.* Distinct expression and function of the novel mouse chemokine monocyte chemotactic protein-5 in lung allergic inflammation
- 1953** *Eugene Maraskovsky, Ken Brasel, Mark Teepe, Eileen R. Roux, Stewart D. Lyman, Ken Shortman, and Hilary J. McKenna.* Dramatic increase in the numbers of functionally mature dendritic

- cells in Flt3 ligand-treated mice: multiple dendritic cell subpopulations identified
- 1963** *Iqbal S. Grewal, Kate D. Grewal, F. Susan Wong, Dominic E. Picarella, Charles A. Janeway, Jr., and Richard A. Flavell.* Local expression of transgene encoded TNF α in islets prevents autoimmune diabetes in nonobese diabetic (NOD) mice by preventing the development of auto-reactive islet-specific T cells
- 1975** *Manuela Santos, Marco W. Schilham, Luke H.P.M. Rademakers, J.J.M. Marx, Maria de Sousa, and Hans Clevers.* Defective iron homeostasis in β 2-microglobulin knockout mice recapitulates hereditary hemochromatosis in man
- 1987** *Yoshiya Tanaka, Koji Kimata, Atsushi Wake, Shinichiro Mine, Isao Morimoto, Naomi Yamakawa, Hiroko Habuchi, Satoko Ashikari, Hisao Yamamoto, Katsukiyo Sakurai, Keiichi Yoshida, Sakaru Suzuki, and Sumiya Eto.* Heparan sulfate proteoglycan on leukemic cells is primarily involved in integrin triggering and its mediated adhesion to endothelial cells
- 1999** *Paul D. Rennert, Jeffrey L. Browning, Reina Mebius, Fabienne Mackay, and Paula S. Hochman.* Surface lymphotxin α/β complex is required for the development of peripheral lymphoid organs

Brief Definitive Reports

- 2007** *Daniela Bruch-Gerharz, Karin Fehsel, Christoph Suschek, Guenter Michel, Thomas Ruzicka, and Victoria Kolb-Bachofen.* A proinflammatory activity of interleukin 8 in human skin: expression of the inducible nitric oxide synthase in psoriatic lesions and cultured keratinocytes
- 2013** *Nancy R. Krieger, DengPing Yin, and C. Garrison Fathman.* CD4 $^{+}$ but not CD8 $^{+}$ cells are essential for allorejection
- 2019** *S. Marieke van Ham, Ulrike Grüneberg, Georg Malcherek, Iris Bröker, Arthur Melms, and John Trowsdale.* Human histocompatibility leukocyte antigen (HLA)-DM edits peptides presented by HLA-DR according to their ligand binding motifs
- 2025** *Fotini Papavasiliou, Mila Jankovic, and Michel C. Nussenzweig.* Surrogate or conventional light chains are required for membrane immunoglobulin mu to activate the precursor B cell transition
- 2031** *Naomi Taylor, Kevin B. Bacon, Susan Smith, Thomas Jahn, Theresa A. Kadlec, Lisa Uribe, Donald B. Kohn, Erwin W. Gelfand, Arthur Weiss, and Kenneth Weinberg.* Reconstitution of T cell receptor signaling in ZAP-70-deficient cells by retroviral transduction of the ZAP-70 gene
- 2037** *Werner Held, Dragana Cado, and David H. Raulet.* Transgenic expression of the Ly49A natural killer cell receptor confers class I major histocompatibility complex (MHC)-specific inhibition and prevents bone marrow allograft rejection
- 2043** *Gordon S. Duncan, Hans-Willi Mittrücker, David Kägi, Toshifumi Matsuyama, and Tak W. Mak.* The transcription factor interferon regulatory factor-1 is essential for natural killer cell function in vivo
- 2049** *David V. Serreze, Harold D. Chapman, Don S. Varnum, Matthew S. Hanson, Peter C. Reifsnyder, Scott D. Richard, Sara Anne Fleming, Edward H. Leiter, and Leonard D. Shultz.* B lymphocytes are essential for the initiation of T cell-mediated autoimmune diabetes: analysis of a new "speed congenic" stock of NOD.Ig μ^{null} mice
- 2055** *Scott C. Todd, Stephanie G. Lipps, Laura Crisa, Daniel R. Salomon, and Constantine D. Tsoukas.* CD81 expressed on human thymocytes mediates integrin activation and interleukin 2-dependent proliferation
- 2061** *Guangming Zhong, Flora Castellino, Paola Romagnoli, and Ronald N. Germain.* Evidence that binding site occupancy is necessary and sufficient for effective major histocompatibility complex (MHC) class II transport through the secretory pathway redefines the primary function of class II-associated invariant chain peptides (CLIP)
- 2067** *Ivan Rodriguez, Keiko Matsuura, Christiane Ody, Shigekazu Nagata, and Pierre Vassalli.* Systemic injection of a tripeptide inhibits the intracellular activation of CPP32-like proteases in vivo and fully protects mice against Fas-mediated fulminant liver destruction and death
- 2073** *Correction*
- 2075** *Correction*